No Record Type 4s on Tagging

2017

R/V DAN MOORE STATION LOG

VESSEL (1)	STATION (2-5)	CRUISE NO. (6-8)	MO. DAY YEAR (9-14)	GRID (15-17)	LATITUDE (18-21)	LONGITUDE (22-25)
M	2017	028	03 0872	26AC	3627	7542

DEPTH (26-29)	SUR. TEMP. (30-31)	BTM TEMP. (32-33)	AIR TEMP (34-35)	BAROMETER (36-38)	BT (39)	WIND DIR. (40-41)	WIND SPD. (42-43)
0012	08	—	13	009	N	S	15

S.C. (44)	WEA. (45-46)	BTM TYPE (47-48)	BTM REG (49)	GEAR TYPE (50-51)	GEAR SIZE (52-54)	OP (55)	TM. START (56-57)	MIN. FISHED (58-60)
3	OC	SA	E	FT	060	—	12	030

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
91	00102	—	—	—

RIG (61-62)	TOTAL FINFISH (63-67)	TOTAL CRUSTACEANS (68-71)	TOTAL SHELLFISH (72-75)	TOTAL OTHER (76-80)
—	—	—	—	—

POSITION	LATITUDE	LONGITUDE	LORAN		DEPTH fms	C/C	TIME ON STATION	
			3H4	3H5			PO	DO
START	36°27'	75°42'	1779	3032	12		1149	1150
							PU	ON
FINISH	36°29'	75°41'	1789	3031	11		1220	1223

LENGTH WARF	SHIFT RPM	PITCH	GEAR DATA:
50	1550 / 5	50	

SPECIAL MODIFICATIONS

OPERATIONAL COMMENTS

OBSERVATIONS

R/V DAN MOORE SPECIES LIST - FINFISH

STATION NUMBER 2017

CODE	SPECIES	NO.	WEIGHT	SIZE	
	Alosa aestivalis	W	7		
	Alosa pseudoharengus	W	15		
	Alosa sapidissima	W	5		
	Bairdella chrysura				
	Brevoortia tyrannus	W	5		
	Carcharias taurus				
	Centropristes straitus				
	Centropristes philadelphicus				
	Citharichthys arctifrons				
	Clupea harengus				
	Cynoscion nebulosus				
	Cynoscion regalis				
	Etrumeus sadina				
	Lagodon rhomboides				
	Larimus fasciatus				
	Leiostomus xanthurus				
	Lophius americanus				
	Menticirrhus americanus				
	Menticirrhus littoralis				
	Menticirrhus saxatilis				
	Micropogon undulatus				
	Monocanthus hispidus				
	Mustelus canis				
	Orthopristis chrysopterus				
	Paralichthys dentatus				
	Paralichthys lethostigma				
	Peprilus alepidotus				
	Peprilus paru				
	Pomatomous saltatrix				
	Poronotus triacanthus	W	10		
	Prionotus carolinus				
	Prionotus evolans				
	Raja eglanteria				
	Raja erinacea				
	Raja garmani				
	Roccus saxatilis				
	Scomberomorous cavalla				
	Scomberomorous maculatus				
	Sphaeroides maculatus				
	Stenotomus chrysops				
	Synodus foetens				
	Squalus acanthias	W	50		
	Squatina dumerili				
	Urophycis regius				
	Scomber Scombrus	W	10		

Blueback Herring

STATION #	DATE	Length (mm)	Weight (gms.)	Sex	Scales	Age	Spawning Marks	#
1959	1/18/72	256	250	♀ (III)	—	—	—	1
〃	〃	246	200	♀ (III)	—	—	—	2
〃	〃	230	160	♀ (III)	—	—	—	3
〃	〃	230	160	♂ (M)	—	—	—	4
〃	〃	237	160	♀ (III)	—	—	—	5
〃	〃	214	140	♂ (M)	—	—	—	6
〃	〃	230	200	♂ (M)	—	—	—	7
〃	〃	238	175	♀ (III)	—	—	—	8
〃	〃	250	175	♂ (M)	—	—	—	9
〃	〃	239	190	♀ (III)	—	—	—	10
〃	〃	232	150	♀ (III)	—	—	—	11
〃	〃	236	190	♂ (M)	—	—	—	12
2019	3/8/72	238	225	♂ (M)	—	—	—	13
〃	3/8/72	221	140	♂ (I)	—	—	—	14
2018	3/8/72	224	190	♀ (III)	—	—	—	15
2021	3/8/72	240	210	♂ (M)	—	—	—	16
〃	〃	242	200	♂ (M)	—	—	—	17
〃	〃	241	225	♂ (M)	—	—	—	18
〃	〃	239	190	♀ (III)	—	—	—	19
〃	〃	231	190	♂ (M)	—	—	—	20
〃	〃	253	225	♀ III	—	—	—	21
〃	〃	235	190	♂ (M)	—	—	—	22
〃	〃	226	175	♂ (M)	—	—	—	23
〃	〃	147	225	♀ (III)	—	—	—	24
〃	〃	257	250	♀ (III)	—	—	—	25
〃	〃	247	200	♂ (M)	—	—	—	26
〃	〃	244	190	♂ (M)	—	—	—	27
〃	〃	237	200	♀ (III)	—	—	—	28
〃	〃	284	405	♀ III	—	—	—	29
〃	〃	246	240	♂ (M)	—	—	—	30
〃	〃	248	250	♂ (M)	—	—	—	31
〃	〃	247	210	♀ (III)	—	—	—	32
〃	〃	243	225	♂ (M)	—	—	—	33
〃	〃	252	210	♂ (M)	—	—	—	34
〃	〃	235	200	♂ (M)	—	—	—	35
〃	〃	234	225	♂ (M)	—	—	—	36
〃	〃	253	230	♂ (M)	—	—	—	37
〃	〃	239	205	♂ (M)	—	—	—	38
〃	〃	234	200	♂ (M)	—	—	—	39
〃	〃	237	200	♂ (M)	—	—	—	40
〃	〃	248	225	♀ (III)	—	—	—	41
〃	〃	240	205	♀ (III)	—	—	—	42
〃	〃	238	210	♀ (III)	—	—	—	43
〃	〃	260	250	♂ (M)	—	—	—	44
〃	〃	259	280	♀ (M)	—	—	—	45
〃	〃	282	340	♀ (M)	—	—	—	46
〃	〃	231	215	♂ (M)	—	—	—	47
〃	〃	240	240	♂ (M)	—	—	—	48
〃	〃	250	255	♀ (III)	—	—	—	49
2017	3/8/72	246	205	♀ (III)	—	—	—	50
〃	〃	232	200	♂ (M)	L			51

Alewife

Station #	Date	Length (mm)	Weight (grams)	Sex	Scales	Age	Spawning Marks		#
2021	3/8/72	270	390	♀ III	—	—	—		159
"	"	269	310	♂ m	—	—	—		160
"	"	241	240	♂ m	—	—	—		161
"	"	256	300	♂ m	—	—	—		162
"	"	255	310	♀ III	—	—	—		163
"	"	232	225	♀ III	—	—	—		164
"	"	258	275	♀ III	—	—	—		165
"	"	232	220	♀ III	—	—	—		166
"	"	228	200	♀ III	—	—	—		167
"	"	267	310	♂ m	—	—	—		168
"	"	256	240	♀ III	—	—	—		169
"	"	226	160	♂ (I)	—	—	—		170
2017	3/8/72	243	225	♂ m	—	—	—		171
"	"	227	175	♂ m	—	—	—		172
"	"	280	320	♀ III	✓	—	—		173
"	"	243	260	♀ III	—	—	—		174
"	"	246	290	♀ III	—	—	—		175
2024	3/10/72	284	475	♀ III	✓	—	—		176
"	"	182	90	♂ (I)	—	—	—		177
"	"	205	120	♂ (I)	—	—	—		178
"	"	187	95	♀ II	—	—	—		179
"	"	197	110	♀ II	—	—	—		180
"	"	225	230	♀ III	—	—	—		181
"	"	280	450	♀ III	—	—	—		182
"	"	248	275	♂ m	—	—	—		183
"	"	258	310	♂ m	—	—	—		184
2026	3/10/72	264	360	♂ m	—	—	—		185
"	"	241	240	♂ m	—	—	—		186
2010	2/25/72	172	20	unk	—	—	—		187
2009	2/24/72	121	10	♀ III	✓	—	—		188
"	"	141	40	♂ (I)	—	—	—		189
"	"	124	15	♀ III	—	—	—		190
2005	2/24/72	165	60	♂ (I)	—	—	—		191
2004	2/24/72	195	95	♂ (I)	—	—	—		192

Digitized by the Internet Archive
in 2017 with funding from
IMLS LG-70-15-0138-15

https://archive.org/details/danmoore201700unse

ANADROMOUS FISH TAGGING & RELEASE DATA

Station No. 20 17

Date [illegible]

Area of Release Currituck

LORAN Start 1779 (344) 3032 (314)

Finish 1789 3031

Tot. Fish Captured 54 (16 BB, 31 AH, 7 MS)

Tot. Fish Tagged [illegible]

No. Retained for analysis 8 (2 BB, 5 AH, 1 MS)

Gear Type #36 Hanlon trawl

TAG. NO.	Weight Lbs.	Weight Ozs.	F.L. (cm)	Species	Remarks

ANADROMOUS FISH TAGGING & RELEASE DATA

Station No. 26 17 Cont'd

Date 8 March 1972

Area of Release Cunningham

LORAN Start 1779 3032

Finish 1789 3031

Tot. Fish Captured 54(16 WR, 31 Ns, 7 Am. S)

Tot. Fish Tagged 46(26 Ns, 11 [illegible])

No. Retained for analysis 8(2 Ns, 5 Ns, 1 Am S)

Gear Type #36 Yankee trawl

TAG. NO.	Weight Lbs.	Weight Ozs.	F.L. (cm)	Species	Remarks
				Am Shad	
				Am Shad	

AMERICAN SHAD

STATION #	DATE	LENGTH (mm)	WEIGHT (grams)	SEX	SCALES	Age	SPAWNING MARKS		#
2018	3/8/72	508	1260	♂ m	—	—	—		1
11	11	359	860	♂ m	—	—	—		2
11	11	394	830	♂ (I)	—	—	—		3
2017	3/8/72	241	200	♂ (II)	—	—	—		4
2026	3/10/72	120	20	♀ UNK.	—	—	—		5
2008	2/24/72	344	600	♀ III	✓				6

2017